

# TRACTOR / BACKHOE

## Roadboss Tractor Chains

Roadboss tractor chains are built rugged and designed to be used in most on or off road conditions. The case hardened twist link cross chains are made of 3/8" diameter chain.

### 4 Link Spacing

TIRE SIZE	WGT	ORDER NUMBER	XCHAIN
8.3X24, 10.5/80X18, 12X16.5	72	<b>RB822</b>	6434I
9.5X16, 10X16.5	60	<b>RB829</b>	6434I
9.5X24	79	<b>RB832</b>	6434I
11.2X24, 12.4X16, 15X19.5, 355/80D20	89	<b>RB836</b>	6445I
11.2X28	103	<b>RB838</b>	6445I
11.2X34, 11.2X36	125	<b>RB846</b>	6445I
13.6X16, 14X17.5	81	<b>RB850</b>	7402I
12.4X24	96	<b>RB852</b>	6445I
12.4X28	111	<b>RB856</b>	6445I
13.6X24/26, 41X1400X20	110	<b>RB858</b>	7420I
13.6X28, 14.9X24	117	<b>RB859</b>	7420I
12.4X36, 11.2/12.4X38	132	<b>RB862</b>	6445I
13.6X38, 12.4X42	150	<b>RB866</b>	7420I
14.9X26, 14.9X28	127	<b>RB869</b>	7420I
16.9X24, 17.5LX24	127	<b>RB874</b>	7426I
16.9X26/28, 14.9X30	140	<b>RB876</b>	7426I
16.9X30	148	<b>RB877</b>	7426I
16.9X34, 15.5X38	157	<b>RB879</b>	7426I
16.9X38	174	<b>RB880</b>	7426I
18.4X16.1	134	<b>RB881</b>	9562I
18.4X24/26, 19.5LX24	170	<b>RB883</b>	9562I
18.4X28	183	<b>RB884</b>	9562I
21LX24, 18.4X30	195	<b>RB885</b>	9562I
18.4X34	207	<b>RB887</b>	9562I
18.4X38	220	<b>RB889</b>	9562I
20.8X38	251	<b>RB892</b>	6650I



**ROADBOSS**

Optional:



Spring - Type  
tire chain adjusters

Double Ring chains are ideal for use in mud or snow, on or off road and excellent in soft terrain. They feature case hardened double welded rings that rotate, providing extra wear and self-cleaning action.

## Double Ring Chains

(4 link spacing)

TIRE SIZE	WGT	ORDER NUMBER	X CHAIN
8.3X24, 9.5X24, 10.5/80X18	78	<b>0732</b>	204
11.2X24, 12.4X16	91	<b>0736</b>	204
11.2X28, 12.5/80X18	99	<b>0738</b>	204
11.2X34, 9.5X36	120	<b>0744</b>	204
11.2X36, 11.2X38	128	<b>0746</b>	204
12.4X24	105	<b>0752</b>	206
12.4X28, 13.6X24	114	<b>0756</b>	206
13.6X26, 41X1400X20	121	<b>0758</b>	206
13.6X28	130	<b>0759</b>	206
12.4X36, 325/85X34	138	<b>0760</b>	206
12.4X38, 13.9X36	147	<b>0764</b>	206
13.6X38, 13.9x36	155	<b>0766</b>	206
14.9X24	132	<b>0772</b>	210
21.5LX16.1, 14.9X26	142	<b>0773</b>	210
<b>*14X17.5</b>	120	<b>0772A</b>	210
14.9X28, 420/70X24	152	<b>0774</b>	210
16.9X24, 18.4X16.1			
<b>*15X19.5</b>	130	<b>0774A</b>	210
16.9X30, 14.9X30, 16.9X28	164	<b>0777</b>	210
18.4X28	174	<b>0778</b>	210
16.9X34, 15.5/14.9X38	184	<b>0779</b>	210
18.4X24/26, 19.5LX24	169	<b>0783</b>	211
18.4X30, 21LX24	192	<b>0785</b>	211
18.4X34, 16.9X38	204	<b>0787</b>	211
18.4X38	227	<b>0789</b>	211
20.8X34, 20.8X38	248	<b>0790</b>	212
23.1X26	223	<b>0791</b>	212
23.1X34	258	<b>0795</b>	212



Cross Chains with Hooks

WGT	ORDER NUMBER	RINGS
-----	--------------	-------

3	<b>204</b>	5
3	<b>206</b>	7
4	<b>210</b>	11
5	<b>211</b>	13
6	<b>212</b>	15



**\*These 2 chain sizes are custom made and non-refundable. Please be sure that there is clearance on the machine. These chains need 4" clearance both inside and on top of the tire (fender).**

Tru Grip farm tractor and industrial tire chains are designed to prevent the cross chains from dropping between the lugs of the tire tread by adding an interconnected adjacent cross chain.

## Tru-Grip Chains

TIRE SIZE	WGT	ORDER NUMBER	X CHAIN
9.5X24, 11.2X24	108	<b>TRU214</b>	DUO292
11.2X34, 11.2X36	144	<b>TRU224</b>	DUO292
11.2X28, 355/80D20	119	<b>TRU226</b>	DUO292
12X16.5, 10.5/80X18, 12.5/80X18	98	<b>TRU225</b>	DUO293
12.4X24	126	<b>TRU229</b>	DUO293
12.4X28, 9.5X36	146	<b>TRU218</b>	DUO293
11.2/12.4X38, 12.4X36	166	<b>TRU232</b>	DUO293
13.6X24/26, 41X1400X20, 14.9X24	138	<b>TRU240</b>	DUO295
13.6X28, 320/85X34	160	<b>TRU242</b>	DUO294
14.9X26	153	<b>TRU250</b>	DUO295
14.9X28, 14.9X30	168	<b>TRU252</b>	DUO295
14.9X38, 15.5X38	190	<b>TRU254</b>	DUO296
16.9X24	159	<b>TRU260</b>	DUO296
16.9X28	167	<b>TRU262</b>	DUO297
17.5LX24	138	<b>TRU263</b>	DUO297
18.4X16.1, 21.5LX16.1	132	<b>TRU264</b>	DUO298
16.9X30	182	<b>TRU266</b>	DUO297
18.4X24, 19.5LX24	167	<b>TRU268</b>	DUO298
16.9X34, 320/90X46	197	<b>TRU270</b>	DUO297
18.4X28/30	192	<b>TRU271</b>	DUO298
16.9/18.4X38, 20.8X34	222	<b>TRU272</b>	DUO298
18.4X34	205	<b>TRU273</b>	DUO298
21LX24	161	<b>TRU275</b>	DUO299
20.8X38	258	<b>TRU276</b>	DUO299
18.4X42/46	238	<b>TRU277</b>	DUO298



Optional:





Spring - Type  
tire chain adjusters

# Roller Grip Chains

## Roller Grip Benefits:

- Replace cross chains in minutes while on the road **WITHOUT TOOLS**
- Triple the chain life as the cross chain wears evenly on 4 sides instead of just one.
- Use the swivel hook design over and over again for an indefinite period of time in spite of the number of times a cross chain is replaced.
- Eliminate the need for tire chain tighteners and old-fashioned chain pliers.



TIRE SIZE		ORDER NUMBER	CROSS CHAIN
25X850X14	4 LINK	<b>RGA4L</b>	
	2 LINK	<b>RGA2L</b>	
212/80D15	4 LINK	<b>RGB4L</b>	
	2 LINK	<b>RGB2L</b>	
27X850X15	4 LINK	<b>RGC4L</b>	
	2 LINK	<b>RGC2L</b>	
27X1050X15	4 LINK	<b>RGD4L</b>	
	2 LINK	<b>RGD2L</b>	
29X1200X15	4 LINK	<b>RGE4L</b>	
	2 LINK	<b>RGE2L</b>	
31X1250X15	4 LINK	<b>RGF4L</b>	
	2 LINK	<b>RGF2L</b>	
31X1350X15	4 LINK	<b>RGG4L</b>	
	2 LINK	<b>RGG2L</b>	
31X1550X15	4 LINK	<b>RGH4L</b>	
	2 LINK	<b>RGH2L</b>	
33X1250X15	4 LINK	<b>RGI4L</b>	
	2 LINK	<b>RGI2L</b>	
33X1350X15	4 LINK	<b>RGJ4L</b>	
	2 LINK	<b>RGJ2L</b>	
36X1350X15	4 LINK	<b>RGL4L</b>	
	2 LINK	<b>RGL2L</b>	
315/75D15	4 LINK	<b>RGU4L</b>	
	2 LINK	<b>RGU2L</b>	
7X16	4 LINK	<b>RGM4L</b>	
	2 LINK	<b>RGM2L</b>	
8.3X16	4 LINK	<b>RGN4L</b>	
	2 LINK	<b>RGN2L</b>	



**\*FOR 2-LINK SPACING ADD 90% TO THE DEALER COST**

# Roller Grip Chains - CONTINUED

TIRE SIZE		ORDER NUMBER	CROSS CHAIN
9.5X16	4 LINK	<b>R9729D</b>	R9234D
12.4X16	4 LINK	<b>RGP4L</b>	
13.6X16	4 LINK	<b>R9757D</b>	
18.4X16.1/ 44X1800X20	4 LINK	<b>R9781D</b>	R9242D
10X16.5	4 LINK	<b>R3410D</b>	
12X16.5	4 LINK	<b>R3420D</b>	
14X17.5	4 LINK	<b>R3430D</b>	
8X18	4 LINK	<b>RGR4L</b>	
15X19.5	4 LINK	<b>R3414D</b>	
355/80D20/ 41X1400X20	4 LINK	<b>RGT4L</b>	
8.3X24	4 LINK	<b>R9722D</b>	R9234D
9.5X24	4 LINK	<b>R9732D</b>	R9234D
11.2X24	4 LINK	<b>R9736D</b>	R9236D
12.4X24	4 LINK	<b>R9752D</b>	R9240D
13.6X24, 13X6.26	4 LINK	<b>R9758D</b>	R9240D
14.9X24, 13.6X28	4 LINK	<b>R9759D</b>	R9240D
16.9X24, 17.5LX24	4 LINK	<b>R9774D</b>	R9340D
14.9X26, 14.9X28	4 LINK	<b>R9769D</b>	R9240D
18.4X26, 19.5LX24	4 LINK	<b>R9783D</b>	R9242D
11.2X28	4 LINK	<b>R9738D</b>	R9236D
12.4X28	4 LINK	<b>R9756D</b>	R9240D
16.9X28, 16.9X26	4 LINK	<b>R9776D</b>	R9340D
18.4X28	4 LINK	<b>R9784D</b>	R9242D
16.9X30	4 LINK	<b>R9777D</b>	R9340D
18.4X30	4 LINK	<b>R9785D</b>	R9242D



**\*FOR 2-LINK SPACING ADD 90% TO THE DEALER COST**



American Chains™ ForesTrac® studded tractor tire chains are available with 1/2" tag chain to meet any traction requirements. We recommend customer checks for adequate clearance before purchasing these aggressive off-road tractor chains.

## Forestrac™ Tractor Studded



Single Diamond 12mm - 9/16" rough cut studs

TIRE SIZE	WGT	ORDER NUMBER
11.2X24	200	11224ASSTR4
11.2X28	213	11228ASSTR4
12.4X24	219	12424ASSTR4
12.4X28	240	12428ASSTR4
13.6X24	221	13624ASSTR4
13.6X28	242	13628ASSTR4
14.9X26	254	14926ASSTR4
14.9X28	258	14928ASSTR4
14.9X30	276	14930ASSTR4
15X19.5	180	15195ASSTR4
16.9X24	255	16924ASSTR4
16.9X26	273	16926ASSTR4
16.9X28	276	16928ASSTR4
16.9X30	279	16930ASSTR4
16.9X34	303	16934ASSTR4
16.9X38	330	16938ASSTR4
17.5X25	256	17525ASSTR4
18.4X26	275	18426ASSTR4
18.4X30	299	18430ASSTR4
18.4X34	322	18434ASSTR4
18.4X38	352	18438ASSTR4
19.5X24	269	19524ASSTR4
23.1X26	333	23126ASSTR4
23.1X30	359	23130ASSTR4
23.1X34	383	23134ASSTR4



FORESTRAC STUDED

Optional:



Spring - Type  
tire chain adjusters

American Chains™ ForesTrac® ring tractor tire chains are available with 1/2" tag with 1" by 10" ring or 7/8" by 8" ring to meet any traction requirements. We recommend customer checks for adequate clearance before purchasing these aggressive off-road tractor chains.

## Forestrac™ Tractor Ring



### 7/8" Ring Diameter

TIRE SIZE	WGT	ORDER NUMBER
11.2x28	295	11228ASRE
12.4x24	293	12424ASRE
12.4x28	328	12428ASRE
13.6x24	303	13624ASRE
13.6x28	338	13628ASRE
14.9x26	340	14926ASRE
14.9x28	348	14928ASRE
14.9x30	375	14930ASRE
15x19.5	257	15195ASRE
16.9x24	401	16924ASREH
16.9x26	414	16926ASREH
16.9x28	442	16928ASREH
16.9x30	445	16930ASREH
16.9x38	510	16938ASREH
18.4x26	439	18426ASREH
18.4x30	466	18430ASREH
18.4x34	504	18434ASREH
19.5Lx24	410	19524ASREH
23.1x26	513	23126ASREH
23.1x30	542	23130ASREH
23.1x34	580	23134ASREH



### Optional:



Spring - Type  
tire chain adjusters